

Chemical analysis price table/Water, Environment and Arid Regions Research Centre (WEARRC):

1. Drinking and waste water analysis:

| | Analysis | Method and Instrument | Price (JD) | Responsible person | Notes |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------|-------------------------------------------------------------------------------------------------|-------|
| Physical Property | | | | | |
| 1 | Colour | | 10 | Eng. Raya Alomoush e.mail: rayalmoush@yahoo.com | |
| 2 | Taste | | 5 | | |
| 3 | Oder | | 10 | | |
| 4 | Turbidity | Turbidity meter | 5 | | |
| 5 | Temperature of Water Source | | 2 | | |
| Chemical Property | | | | | |
| 6 | Heavy metals* (Iron, Manganese, Nickel, Zinc, Cadmium, Cobalt, Lead, Chromium, Copper, Silver, Aluminium, Barium, Beryllium, Lithium, Molybdenum, Stannous, Vanadium, Boron) | -Inductively Coupled Plasma | 10 (Each) 35 (2-5 Element) | | |
| 7 | Heavy metals* (Iron, Manganese, Nickel, Zinc, Cadmium, Cobalt, Lead, Chromium, Copper, Silver, Aluminium, Barium, , Molybdenum, Magnesium , Sodium, potassium, strontium) | -Atomic Absorption Spectrometer | 10 (Each) | | |
| 8 | Sodium , Potassium , Lithium, calcium, Barium | - Flame Emission Photometer | 5(Each) 20 (whole) | | |
| 9 | -Calcium - TH | -EDTA Titration | 5 5 | | |
| 10 | -Calcium - TH | - Photometer | 10 10 | | |



| | | | | |
|----|----------------------------------------------------------------------|----------------------------------------|----------------------------------------------|--|
| 11 | -Bromide,Fluoride, Chloride -Nitrite, Nitrate, Phosphate, Sulfate | - Ion Chromatograph | - 10 (Each) - 10 (Each) - 35 (7 anion) | |
| 12 | Nitrate | - UV-spectrophotometer | 5 | |
| 13 | Phosphate | - Stannous Chloride method | 10 | |
| 14 | Chloride | - Argentometric method | 5 | |
| 15 | Free Residual Chlorine Cl ₂ (FRC) | - Photometer | 5 | |
| 16 | Sulfate | - Turbidimetric method | 10 | |
| 17 | Alkalinity as CaCO ₃ | - Titration method | 8 | |
| 18 | Carbonate | - Titration Method | 5 | |
| 19 | Bicarbonate | - Titration Method | 5 | |
| 20 | Total suspended Solids (TSS) | - Dried at 103-105 ° | 10 | |
| 21 | Total Dissolved Solid (TDS) | -Instrumental measurement | 2 | |
| 22 | Total Dissolved Solid (TDS) | - Dried at 180° | 10 | |
| 23 | Chemical Oxygen Demand | - Closed Reflux, Titrimetric | 15 | |
| 24 | Biochemical Oxygen Demand | - 5-Day BOD test | 15 | |
| 25 | Electrical Conductivity | - Conductivity meter | 2 | |
| 26 | PH | - PH-meter | 2 | |
| 27 | Nitrate | - Photometer | 10 | |
| 28 | Total nitrogen | - Photometer | 15 | |
| 29 | Phenol | - Photometer | 20 | |
| 30 | Total organic carbon TOC | - Photometer | 20 | |
| 31 | Ammonium NH ₄ ⁺ | - Photometer | 10 | |
| 32 | Ammonium NH ₄ ⁺ | - Ion selective electrode | 5 | |
| 33 | Total Coliforms and Escherichia coli | Enzyme Substrate Test (Colilert-IDEXX) | 30 | |
| 34 | Total Coliform Count | - MTF method | 15 | |
| 35 | Escherichia coli | MTF method | 15 | |
| 36 | Fecal Coliforms (Total Thermotolerant Coliform Count-TTCC) | MTF method | 15 | |



| | | | | | |
|----|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|----|--|--|
| 37 | Pseudomonas aeruginosa | Bacterial Detection Enzyme Technology "Pseudolert" From IDEXX | 20 | | |
| 38 | Pseudomonas aeruginosa | MTF method | 15 | | |
| 39 | Fungi | Membrane Filtration | 15 | | |
| 40 | Free Living Nematodes | Membrane Filtration | 15 | | |
| 41 | Algae | Sedimentation Technique | 15 | | |
| 42 | Total cost for monthly analysis for drinking water station (Total coliform E.coli, Pseudomonas, Fungi, NO₃) | Package of test | 25 | | |
| 43 | Organochlorinated Pesticides (OCPs)-16 compounds ** | Solid Phase Extraction/ Gas Chromatography/Mass Spectrometer | 50 | | |
| 44 | Poly Aromatic Hydrocarbons (PAHs)-16 EPA compounds ** | Solid Phase Extraction / Gas Chromatography/Mass Spectrometer | 75 | | |
| 45 | Poly Chlorinated Biphenyls (PCBs)-14 congeners ** | Solid Phase Extraction / Gas Chromatography/Mass Spectrometer | 75 | | |
| 46 | polychlorinated dibenz-p-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs)-17 congeners ** | Solid Phase Extraction / Gas Chromatography/Mass Spectrometer | 75 | | |

* 15 JD should be added if sample need acid digestion

** 50 JD should be added if sample need extraction and cleaning

| | Description | No of samples collected | Destination | Price (JD/Trip/day) vehicle | Price (JD/Trip/day) personnel |
|----|-------------------------------------|-------------------------|---------------------|-----------------------------|-------------------------------|
| | | | | price | price |
| 47 | Sampling by lab personnel & vehicle | ≤3 | Within Mafraq city | 20 | 10 |
| | | ≥3 | | 20 | 20 |
| | | ≤3 | Outside Mafraq city | 40 | 20 |
| | | ≥3 | | 40 | 40 |



2. Rocks, Minerals and soil analyses:

| | Analysis | Method and Instrument | Price (JD) | Responsible person | Notes |
|----|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|--------------|
| 48 | Elemental Composition | <ul style="list-style-type: none"> - XRF spectrometer 1. Sample preparation (fusion) 2. Sample preparation (Milling & crushing) 3. XRF analysis | <ul style="list-style-type: none"> 10 10 30 | <p>Eng. ManalAlessa Email: eng_manal_aliss_a13@yahoo.com</p> | |
| 49 | Metal Composition | <ul style="list-style-type: none"> - XRD Spectrometer 1. Sample preparation (Milling & crushing) 2. XRD analysis | <ul style="list-style-type: none"> 10 30 | | |
| 50 | Scanning Electron Microscope Analysis | <ul style="list-style-type: none"> - Scanning Electron Microscope 1. Sample preparation (Coating) 3. Image (include 5 image) for extra image 4. Chemical analysis (EDAX) | <ul style="list-style-type: none"> 10 30 3 25 | | |
| 51 | Electron Microprobe Analyzer (EMPA) | <ul style="list-style-type: none"> Electron Microprobe Analyzer 1. (Coating) 2. Thin section 3. Analysis per hour | <ul style="list-style-type: none"> 10 25 50/hour | | |

3. Organic materials analyses:



| | Analysis | Method and Instrument | Price (JD) | Responsible person | Notes |
|----|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|---------------------------------------------------------------------------------------------------|--------------|
| 52 | Quantitative & Qualitative Analysis of Organic Compounds by:GC/MS | - GC-MS: - without extraction -with extraction | 25 50 | Dr. MohanadMasad Email: mohanad@aabu.edu.jo | |
| 53 | Quantitative & Qualitative Analysis of Organic Compounds by: MS (DI) | - GC-MS | 25 | | |
| 54 | Carbon, Hydrogen, Nitrogen, Sulfur: | - Elemental Analyzer | 15 | | |
| 55 | ploychlorinateddibenz-p-dioxins (PCDDs) and polychlorinateddibenz furans (PCDFs) ** | Solid Phase Extraction / Gas Chromatography/Mass Spectrometer | 75 | | |
| 56 | Poly ChrorinatedBiphenels (PCBs) ** | Solid Phase Extraction / Gas Chromatography/Mass Spectrometer | 75 | | |
| 57 | NMR Analysis | - NMR Spectrometer 1. H ¹ 2. H ¹ + normal C ¹³ 3. H ¹ +normal C ¹³ +DEPT C ¹³ 4. 2 D experiment 5. cooling | 10 15 25 30 30 | | |

** 50 JD should be added if sample need extraction and cleaning

